

Radio Control Systems

27MHz Systems (customised for Yachting)

CB.001	27MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	49,50
CB.002	27MHz AM Hitec-K Bits Ranger 2Z, 1 servo Includes 8 rechargeable NiCd cells and xtals.	45,00

40MHz Systems (customised for Yachting)

CB.003	40MHz AM Futaba-K Bits Attack 2ER, 2 channel Tx,Rx & 1 servo Includes 8 rechargeable NiCd cells and xtals.	49,50
CB.006b	Futaba 3GR combo. 3 ch FULLY synthesized Tx and 153F Rx	POA
CB.008	40MHz Futaba-K Bits 3VCS computer Radio, 3Ch 'The Ultimate Yacht System. 10 boat memory expandable to 20 with campac , PCM,PPM,HRS ATV,ATL, Exponential and digital trims. Supplied with 3ch micro HRS Rx, Tx NiCad and dual charger. <i>Comes with K. Bits software programming. 'See 2.4GHz option'</i>	POA

2.4Ghz Systems (customised for Yachting)

CB.014 'NEW'	Futaba 6J 2.4GHz FHSS system, customised for yachts 15 model mem' computer system Includes 4 x 2300MAH cells Highly recommended	139,00
CB.013	Spektrum DX6i 6channel DSM2 2.4GHz system 'customised for yachts'	139,50
CB.006c	Futaba 3GR-2.4GHz 'Join the revolution'	224,50
CB.008a	Futaba 3VCS 2.4GHz System using FASST Technology Still the ultimate system for yacht control.	POA
CB.012	Futaba 2.4GHz FASST module and Receiver for 3VC and 3VCS Convert your existing 3VC to the new 2.4GHz 'no worries' band	225,00
CB.013a	Spektrum DX5e 5 channel full range DSM2 Tx and Rx(AR500) System Single model memory Non Computer 2.4GHz system that is so Easy to use Incl 4 x 2100mah NiMH cells	86,95

note: *To ensure you get the very best from your R/C system both the hardware and programming are customised by K Bits for Yachting.*

Receivers

RX.001	27MHz AM Futaba 2ch receiver ref: R162JE	21,95
RX.001b	40MHz AM Hitec 2ch receiver ref: HT502 weight 28g dimensions 53 x 35 x 19mm	17,95
RX.002	40 MHz AM Futaba 2ch receiver ref: R122JE weight 16.8g dimensions 46 x 31.5 x 25mm current drain 32ma	22,50
RX.002a	40MHz FM Futaba 7ch receiver ref: R-137F weight 30g, current drain 11ma, dimensions 50 x 32 x 20.5mm	43,50
RX.003	40MHz FM Futaba 3ch 153F micro receiver, weight 19g, current drain 11ma, short aerial, dimensions 42.7 x 28.7 x 16mm	49,50
RX.004a	40MHz R203HF HRS receiver, 3ch DIGITAL servos/winches only	10,00
RX.004b	Futaba Syth'sd 40MHz 3ch receiver R303FHS PPM + HRS No xtals required.	49,50
RX.005	40MHz FM Futaba 4ch R114F super micro receiver Weight only 10.9g designed for short range applications. OK for yachts. Aerial length and position in boat slightly more critical. However an excellent low cost receiver.	33,50
RX.006	40MHz FM Hitec 3ch micro receiver ref: HFS03MM	29,95
RX.006a	40MHz FM Hitec 3ch failsafe receiver ref HIS03MK	33,95
RX.011a	Voltage spike regulator' 'New' for 2.4Ghz Rx's	6,95
RX.012	Spektrum AR 6000 6ch dual 1ch failsafe receiver for DX6	S/Order
RX.013a	Spektrum AR 6200 receiver as DX6i DSM2	52,25
RX.013b	Spektrum AR600 DSM2 receiver	41,50
RX.013c	Spektrum MR3000 water resistant marine receiver	57,25
RX.014	Futaba R603FS 'fasst' receiver	112,25
RX.015	Futaba R603FF 'fasst' receiver	102,00
RX.016	Futaba R617FS 'fasst' receiver	59,95
RX.017	Futabs R2006GS FHSS for the new 6J system	37,50

Winches

WH.005a	EURGLE 10 drum winch 6 turn 12Kg/cm 0.75sec/360 deg	27,90
WH.005b	EURGLE 22 drum winch 6 turn 11Kg/cm 0.60sec/360 deg	35,90
WH.280ES	RMG 280ES smart winch for IOM, RM, 10R 'NEW'	POA
WH.280EF	RMG 280EF smart winch for IOM, note 32mm drum max	POA
WH.380ES	RMG 380ES smart winch for 'A' class 'NEW'	POA
Note, Std drum of choice and batt skt fitted on all RMG winches from K Bits		
WH.28MM	28mm Std drum	6,40
WH.32mm	32mm std drum	6,55
WH.42mm	42mm std drum	9,15
WH.32ST	32mm self tensioning drum	17,50
WH.42ST	42mm self tensioning drum	17,50
WH.thumb	RMG knurled thumb screw for drum retention	4,35
45zs4	Spiral drum	19,00
WH.006b 'New'	Hitec-K Bits.. 'Monster power' DIGITAL Sail servo HS 7980TH Latest Hitec powerhouse customised by us for sail control, more power 44Kg/cm and titanium gears, Alu heat sink, gives auw 78grams	99,90
WH.006c	RG 65-MM Sail servo Hitec-K Bits HS 5665MH 10Kg/cm 0.14sec @7.4v Programmed for extra travel, failsafe	27,95
WH.001	Futaba arm winch P-S3802 Torque 11.0 Kg/cm, Speed 0.62sec/60deg weight 65g, dimensions 45.5 x 23 x 42.3mm, 6.0volt Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to 36 inch (36R)	54,95
WH.002	Futaba arm winch ref: P-S3801 , torque 14.0Kg/cm, speed .26sec/ 60deg, dimensions 59 x 29 x 50mm, 6.0 volt, weight 107g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	49,00
WH.002a	Hitec arm winch ref: HS-765HB , torque 13.2kg/cm, speed 0.23 sec /60 deg. Size 59 x 29 x 52mm weight 102g Throw adjustment Tx ATV or mechanical (radius of arm) Suitable for small yachts up to One Metre	24,95
WH.004	Hitec drum winch ref: HS-785 HB, Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, 4 turns approx depending on Tx Yacht classes, One Metre, RM, 10 Rater and 6 metre	29,95

WH.005	Hitec adjustable drum winch ref: HS-785 HB, Torque 14.5Kg/cm, Speed 1.13sec/360deg, 6.0 volt, Modified by K. Bits.. to allow <i>adjustment of throw</i> (turns) remote pot' giving a range of 1.5 - 4 turns Yacht classes, One Metre, RM, 10 Rater and 6 metre	59,00
WH.007b	Fused ext lead for DIGITAL arm winch (incl with winch)	7,75
WH.007c	K Bits carbon arm and 'floating' SS pulley	19,95
WH.007d	Sailsetc carbon arm for 'Italico'	6,90
67f	Sailsetc 'Wheel' output system for Sail servo	27,00
WH.007 'New'	Hitec HFP-20 DIGITAL servo programmer and servo tester allows default settings of latest Hitec servos to be customized. (Optional as K Bits can program for you)	61,50
WH.008	Micro Magic digital sail servo HS5245MG (prog' failsafe) 5.5Kg/cm WEIGHT 32g size 32 x 17 x 31mm	33,25

Rudder Servos

SR.003d	Futaba S3014 Hi Torque water resistant servo	24,50
SR.003b	Hitec HS5485HB Std DIGITAL servo 5.5kg/cm prog' RCLaser	25,50
SR.007	Futaba S9451 DIGITAL servo metal gears BB Excellent performance Water resistant (Bench mark servo)	76,50
SR.005	Futaba S9202 5.0Kg/cm , 0.22sec/60deg, dual ball raced excellent positional torque and resolution, coreless motor, case has water/dust resistant seals.	52,50
SR.001	Futaba budget servo ref 3003 basic servo 3.2 Kg/cm 0.22sec/60deg Incl accessory pack	7,95
SR.001a	Hitec HS 322HD standard servo for RCLaser	8,95
SR.001b	Hitec HS 311 basic servo RCLaser	7,25
SR.003	Futaba budget <i>ball raced</i> servo ref: S3001 , 3.0Kg/cm, 0.22/60deg wt 45.1g	14,25
SR.003c 'New'	Futaba DIGITAL S3050 6.5kg/cm 0.16sec/60 Dual BB Mtl Gears	35,75
SR.004	Futaba S9001 coreless motor, ball raced output, 3.9Kg/cm 0.22sec/60deg, wt 48g, greater resolution.	30,50

The above servos are suitable for light/medium wind conditions however, if you sail in competition conditions and sail at the 'top end' wind range of each rig, the following servos are recommended.

SR.007 'New' Sr.008	Futaba S9451 DIGITAL servo metal gears BB Hitec 7.4volt 'Monster power' DIGITAL rudder servo HS 7945TH Latest Hitec powerhouse designed for Li Po's, more power 23Kg/cm and titanium gears, Alu heat sink, gives auw 68grams	76,50 112,50
SR.008b 'New'	RG 65 Rudder servo HS5087MH 4.3Kg/cm 0.13sec/7.4volt 22g	28,95
SR.009 'New'	Hitec HS-7965MG 10kg/cm 0.10sec/60 deg	61,00
SR.010 'New'	Hitec HS-7985MG programmable DIGITAL rudder servo metal gears and metal arm, 12.4Kg/cm, 0.13sec/60deg HIGH power , extremely high resolution, programmable features using HFP-10 incl: end point throw, speed, dead band and failsafe	61,00
SR.011	Micro Magic rudder Servo HS-5065MG Digital 2.2kg 12grams	26,95
SR.012	Micro Magic Sail servo HS-5245MG 5.5Kg 32grams	33,50
SR.011 'New'	FAILSAFE unit for winches and rudder servos. Simply plugs between receiver and servo designed to take over from Rx if interference is present. Protects winch and servos from exceeding their normal travel and being stalled as a result. Note: not required on new Hitec DIGITAL winch and servo as failsafe is programmed in by K. Bits..	14,25
All servos are designed to operate on 4.8v to 6.0 volt. Except where noted.		

Battery Packs

NiCad Battery Packs

NC.003	Transmitter pack 9.6volt 700mah flat pack with spot welded interconnectors, finished in blue heat shrink complete with Futaba plug and charging instructions, Sanyo NiCad AA cells.	5,00
--------	---	-------------

Metal Hydride Battery Packs

NI.001a	Boat pack, 6.0 volt 950mah with spot welded nickel interconnectors Complete with Futaba plug and charging instructions . AAA cells in a 3+3 layout using 'Instant' cells	7,95
---------	--	-------------

NI.002b	Boat pack, 7.2 volt 950mah with spot welded nickel interconnectors Complete with Futaba plug and charging instructions . AAA cells in a 3+3 layout using 'Instant' cells	8,75
---------	--	-------------

The above battery packs are designed for weight saving applications on un-restricted classes. Approx 90min operation/charge depending on setup. Restricted run times with digital winches or servos

NI.005c	AA NiMH consumer cell 2900mah 1.2v	1,45
---------	---	-------------

NI.005e	AA NiMH consumer cell 2100mah 1.2v	1,38
---------	---	-------------

NI.001c	Boat pack 6 volt 1600mah NiMH 2+3 style	10,75
---------	--	--------------

NI.001d	Laser NiMH Boat pack Budget range 6volt 2600mah	7,95
---------	--	-------------

NI.001e	Sanyo Eneloop 6 volt 2000mah AA pack (high charge retention)	19,50
---------	---	--------------

NI.001f	Sanyo Eneloop 7.2 volt 2000mah AA pack (high charge retention)	21,95
---------	---	--------------

NI.003a	6.0volt 2100mah 'Instant' type NiMH boat pack	7,95
---------	--	-------------

NI.003b	6.0 volt 2600mah NiMH boat pack budget range	7,95
---------	---	-------------

NI.004	Boat pack, 7.2volt 1500mah with spot welded nickel interconnectors	12,50
--------	---	--------------

NI.004b	'Budget' 7.2volt 2600mah NiMH boat pack	9,25
---------	--	-------------

NI.006b	Flat style Tx pack 9.6v 1200mah Hi Energy NiMH	14,25
---------	---	--------------

NI.007	Flat Tx 9.6v 2100Mah NiMH	13,25
--------	----------------------------------	--------------

NI.008	Flat Tx 9.6v 2700Mah NiMH	12,00
--------	----------------------------------	--------------

NI.008b	Sq 9.6v 2700Mah Tx pack	12,00
---------	--------------------------------	--------------

NI.008c	'Instant' 9.6v 2100mah Tx pack Sq /Flat	12,00
---------	--	--------------

NI.009	Eneloop 9.6volt 2000mah Tx pack sq/flat	25,50
--------	--	--------------

Li Po Batteries

LP.001 7.4volt **900mah Lithium Polymer** (Li-Poly) battery pack **12,50**
'New' Physical size: 51 x 30 x 15mm **WEIGHT only 42grams!!**
EXCEPTIONALLY HIGH performance pack, ideal for **DIGITAL** winches and servo's at very low weight.

LP.001x 7.4volt **2100mah Lithium Polymer** (Li-Poly) battery pack **28,95**
WEIGHT only 105grams!!
EXCEPTIONALLY HIGH performance pack, ideal for **DIGITAL** winches and servo's

Note: *******SPECIAL, DEDICATED CHARGER REQUIRED.*******
PLUS
IMPORTANT SAFETY and USAGE INFORMATION MUST BE READ AND FOLLOWED

LP.001b **Regulator 6.0volt 5ampere** output. 7-25volt input allows above battery **8,25**

LP.001c **Regulator 6.0volt 5ampere** output Customised for HS7980TH **17,85**
'New' to be used on voltage sensitive receivers and servos
Size 16 x 12 x 43mm Wt 14grams
Also suitable for **normal** 7.2volt battery packs providing a **constant 6.0 volts** to winch, rudder servo and receiver to give uniform response from fully charged to discharged battery conditions

Chargers

CH.001 Futaba **dual 70/70ma** outlet charger for 4.8v boat pack and Tx LED **5,00**
indicators for each, supplied with long leads and plugs.

CH.002 Futaba dual outlet, **180-250ma** charger for 2, 6.0v boat packs **15,25**
indicators for each, supplied with long leads and plugs.

D4-600 **Pro Peak 4 outlet 600ma with Delta peak cutoff** **21,00**
Input 110-230v Tx 4-8 cell Rx 4-7 cell

CH.002b **Multi 2 charger 200ma** Tx and Rx 6.0volt suits Spektrum JR & Futaba **11,50**

CH.002c **NX83 LogicRC** Dual charger 150ma Tx(4-8cells) Rx 750ma(4-6cell)D/peak **9,95**
UNIVERSAL & MOST POPULAR IN OUR RANGE

CH.003c Dual outlet charger 150ma outputs Tx and 6.0 volt boat pack **10,50**

CH.003 **Multi 6 charger**, six outlet, 50, 60, 80, 140, 180 & 500ma **21,00**
Solve your charging problems associated with Hi-cap packs and old, low output chargers. Suits NiCad or NiMH Batteries
Now includes two charge leads to suit your plug system

CH.003a **Charge lead complete**, Tx, Futaba or Molex plug **3,65**

CH.003b 2 pin adaptor fr Euro style charger **1,60**

The above chargers are constant current types without auto cut off and require switching off at the appropriate time.

CH.004 12volt input **Lakeside charger/Discharger** for fast charging of Tx and boat **66,25**
battery packs. Fully automatic using 'Delta Peak' sensing of charge voltage. comprehensive instructions.
Note: Either Li-Po, Li-on, NiCd or NiMH type cells

CH.005 CH.005a	Delta 4-2000 The next generation. Superb 4 ch charger. LCD display for each output giving individual charge time and voltage. Fully automatic charging of mixed capacity 4-10 cell packs. CH.005a has 12 volt option	132,50 165,00
CH.006 'New' CH.006a	Delta Base automatic single outlet fast charger for 4-8 cells comes with 4 types of battery connection and 230v input Great for Spektrum DX6,DX6i and DX5e but needs adaptor lead	19,50 4,25
LP.004 'New'	Dedicated Lithuim Polymer 1-2cell (Li-Poly) charger Output 500 or 1000mA. Microprocessor controlled giving, Auto cutoff, LED and bleeper. Input 12volt either battery or power supply.	10,50
LP.004a 'New'	Dedicated Lithuim Polymer 2-4cell (Li-Poly) charger Output 1000-1500-2000mA. Microprocessor controlled giving, Auto cutoff, red & green LEDs gives clear indication of charge status. Input 12volt either battery or power supply.	17,95
LP.004b	Dedicated Balancer Li-Po charger for 800mah 7.4volt packs 12 volt input. Use power supply or 12v car battery	14,25
LP.004c	LipoSack , charging and storage bag for LiPo batteries Safety FIRST, use to charge and store your LiPo batteries	6,25
LP.005 'New'	Ultrapower 12v 10A mains power supply for home use of most 12v chargers. Fuse protected output, safety thermostat and built in cooling fan size 95 x 110 x 65mm 3 pin UK type plug.	30,50

Analysers

CH.006	Digiliser 2000 . The ultimate battery cyclers and analyser. Perfect purchase for Club or group to condition and check your batteries every 3 months or so. Takes packs from 1-16cells 100Mah to 2Ah!! Actually conditions batteries using pulsed charge system.	112,50
BT.001	'On load' battery tester for 6 volt packs . Simply connect pack, press button and confirm battery state by LED display Remember, off load checks are meaningless as a guide to battery state. Use it to test boat switch harness, checking for black wire' and switch problems on load. CH.005 & 6 P & P included	12,25
BT.002	Futaba 'On load' battery tester/discharger for 6 AND 7.2v packs	39,95
BT.003	Flash voltage display RMG	25,00
AC.12volt	Cigar to 4mm adaptor	3,00
CD.001	Race Countdown unit integral NiCd PA + count 1min or 2min + repeat	91,50
CD.002	Horn speaker 30watt 8ohm for countdown unit	21,00
CD.003	Microphone for PA option	4,00

Accessories

Aerials

AR.001	Tx aerial for Futaba 2ER two channel 27 and 40MHz	5,10
AR.002	Tx aerial for Futaba Skysport 4 , 40MHz transmitter	5,65
AR.003	Tx aerial for 3VC black anodized	11,25
AR.004	Tx aerial for Futaba 'J' transmitter series	6,50
AR.005	Tx aerial for Futaba 5FG/6FG/7FG	4,95
AR.007	Tx aerial for Futaba 3UCP	7,25
AR.010	Tx Aerial Hitec Ranger 3	4,10
AR.011	Tx Aerial Hitec Ranger 2	4,10
AR.012	Optic 6 aerial (long)	7,35
AR.013	Spektrum DX6/DX6i aerial	7,95
AR.013a	Spektrum DX5e aerial	7,95
AR.014	2.4GHz Receiver aerial 400mm	7,65

Eye Safety (mandatory at MYA events)

AR.008	Eye/Aerial protection ball, very light, no rattle and very visible	1,00
AR.009	Eye/Aerial protection ball Club pack of 20 <i>As shown in Marine Modeling, used worldwide</i>	18,00

Crystals

XT.001	Futaba 27MHz AM , all frequencies. (price per xtal)	3,75
XT.002	Futaba 40MHz AM , all frequencies. (price per xtal)	4,25
XT.003	Futaba 40MHz FM , all frequencies. (price per xtal)	6,95
XT.004	Hitec 27MHz AM (price per xtal)	3,75
XT.005	Hitec 40MHz FM (price per xtal)	6,50
XT.005a	Hitec 40MHz AM (price per xtal)	6,50
XT.006	Futaba Xtal Case , protection for 12 xtals	4,25
XT.007	Frequency pennant, ribbon, clip and white numbers.	1,25

Leads etc

AC.001	'Bit-Mitt' Transmitter Cover, warm and highly water resistant.	36,00
AC.001a	Neck strap strop and ferrule for M&M Transmitt cover	2,45
AC.001b	YOT-SOK, Very high quality hull bag, lined, Silica gel pocket	N/A
Ac.001c	Raydiowarm Transmitter cover The Rolls royce mitt	39,95
AC.001e	Showermitt by Turnigy	22,50
AC.001d	19mm plastic eyelet kit for Mitts using Spektrum RC	0,99
Aquavis	Eye shield for spectacle wearers	9,95
AC.002	Futaba neck strap, red with logo	6,95
AC.002a	Spektrum logo neckstrap	6,99
AC.003	Neck strap Deluxe in red	4,99
AC.004	Neck strap Deluxe in blue	4,99
AC.005a	Servo ext leads, Futaba 100mm	2,65
AC.005	Servo ext leads, Futaba 200mm	3,00
AC.005b	Servo ext H/Duty Lead 300mm	3,70
AC.006	Servo ext leads, Futaba 400mm	4,25
ac.006a	'Y' lead for using H/Performance servos with BEC 2ch Rx's	6,40
ac.006b	'Y' lead for Hitec/Laser	3,85
AC.007	Battery skt and power lead Futaba universal 3 pin type Black	2,80
AC.007a	Battery skt and power lead Futaba H/duty3 pin type Black	3,00
AC.008	Battery plug and power lead Futaba universal 3 pin type Black	2,80
AC.008a	Battery plug and power lead Futaba H/Duty	3,00
AC.008b	Power ext lead Futaba 500mm	4,15
AC.009	Battery skt BEC 2 pin red	1,40
AC.009a	Batt Skt BEC H/Duty lead	3,25
AC.010	Battery plug BEC 2 pin red	1,40
ac.010a	Batt plug BEC H/Duty lead	2,95
AC.011	Futaba switch harness BEC type	4,00
AC.012	Futaba switch harness 3pin type with or without charge lead	5,25
AC.012a	Futaba Heavy duty switch and cabling suit RMG and DIGITAL winches	5,85
AC.013	K. Bits.. W/P switch and H/Duty harness made up 3 pin type	17,50
AC.013a	K. Bits.. W/P switch and H/Duty harness incl H/Duty plugs	21,00
ac.013b	Deans plug wired	3,25
AC.013c	Deans socket wired	3,25
ac.013d	Charge adaptor Futaba to deans H/Duty	4,85
AC.014	Waterproof switch and cover	5,25
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps	0,75
AC.016	Heat shrink 2.5mm x 300mm Ideal for plugs and skts	1,30
AC.017	Heat shrink 4mm x 300mm	1,35
AC.018	Heat shrink 6mm x 300mm	1,75
AC.019	Molex plug or skt	1,25
AC.020	Molex plug or skt ready wired	2,25
AC.021	DC power plug suits Futaba Tx for charging	1,00
AC.022	DC power plug suits Hitec Tx for charging	1,00
AC.023	Servo accessory pack (screws grommets etc)	1,50
AC.024	Servo Arm 'Long' Futaba, increases throw	0,45
AC.025	Futaba Servo Arm METAL c/w Ball link for ultimate control	5,95
AC.025a	Futaba H/Duty plastic servo arm	0,75
AC.026	Carbon push rod 6mm x 300mm	3,85
AC.027	Ball links heavy duty M3 for minimum free play (pack of 2)	3,00
AC.027a	Ball links normal duty M2 for minimum free play (pack of 2)	1,60
AC.028	Plated links heavy duty M3 (pack of 2)	1,85
AC.029	Deck mount and tube for receiver aerial	1,30
AC.030	Sail box mast clips plastic coated for 11mm to 14mm tube (pack of 3)	1,35
AC.031	Trimline ,8 widths on a roll x 2.5m choice of ten colours	2,95
AC.032	Silicon Grease (100g) for pot lids and pushrod exit tubes	6,75
AC.033	Aerial wire 1 metre length	0,99

One Metre Rigs

The Rig kits supplied by **K Bits** are now **Sailsetc** products.

RG.001	No 1 rigging pack less sails incl lightweight boom and jib weight	88,00
RG.002	No 2 rigging pack less sails incl Sailsetc booms and jib weight	88,00
RG.003	No 3 rigging pack less sails incl Sailsetc booms and jib weight <i>Less 5% if all three ordered</i>	88,00
RG.004a	Rig box fittings kit hinges catches handle and mast clips	25,00

Sails Only

NEW 'STEALTH' One Metre sails by Trevor Bamforth

SL.001	'STEALTH' High performance 'A' suit lightweight film, eyelet luff	61,00
SL.002	'STEALTH' High performance 'B' suit	60,00
SL.003	'STEALTH' High performance 'C' suit	57,00
100c	<i>Telltails pair</i>	1,25

Sail Markings etc

SM.001	ISAF Sail numbers 105mm x 70mm.	0,46
SM.002	ISAF One Metre Insignia.	0,50
SM.003	UK National letters GBR	1,25
SM.004	Hull registration No's 20mm	0,32
SM.005	Boat Name (special Order) Ask for details	4,00
SM.006	Positioning details for sail numbers.	0,95
SM.007	Pentel Pen for sail marking N50	2,25
DP.001	Venilia deck patch material clear + cols	450x1000mm 3,50
DP.002	Dacron deck patch material white + Cols only	1370 x 375mm 9,00
DP.003	TS2 reusable Dacron Custom hatch patches. State front/rear	0,80
DP.004	ISIS 5 patch set in dacron ,white, black, blue, green and red	4,00
DP.004a	ISIS 'II' set in dacron ,white, black, blue, green and red	4,00
DP.005	ISIS winch patch pair in dacron ,white, black, blue, green and red	1,00
DP.005a	ISIS 'II' winch patch pair in dacron ,white, black, blue, green and red	1,00

RCLaser

LA.001	LASER 'One Design' r/c sailing boat, fit batteries and sail	425,00
LA.002	'C' suit	31,00
LA.002d	'D' sail	28,50
LA.003	'C' suit incl mast, short boom and sliders	61,50
LA.004	'A' suit incl mast, extra boom and sliders	74,00
LA.005	Extra standard boom and boom band (3) A & B rigs	12,25
LA.006	Short boom 430mm 'C' & 'D' rig incl sliders	11,25
LA.007	Custom bag Laser logo's etc	67,50
LA.008	Replacement fin and keel	33,50
LA.009	Mast, 'B' , 'C' or 'D' rig	22,50
LA.009a	Mast, for 'A' sail	25,50
LA.011	Boom band	1,05
89	5mm plastic ball pkt 20	1,40
LA.012	'A' sail only	36,00
LA.013	'B' Sail only	31,00
LA.014	Tiller Arm	3,60
LA.015	Servo Arm (rudder)	1,55
LA.016	Rudder linkage (new type)	6,25
LA.017	Switch harness	4,00
LA.018	Hatch Cover	2,20
LA.019	'Silicon' switch cover	2,10
LA.020	Rudder 'blade' only	9,25
LA.020a	Rudder stock lower bush	1,50
LA.021	Ballast shells	5,50
LA.022	Bridge winch cover	3,60
LA.023	Bow bumper	9,25

Hulls Etc

SI.003	Universal bumper, stick and carve to shape		2,25
GL.001	Epoxy finishing/laminating resin, 2 pack		14,50
GL.002	0.6oz glass cloth		10,99
SI.004	TS2 bumper		10,25
SI.005	TS2 mast deck fitting to suit mast plug		12,25
SI.006	12.7mm mast plug for above		2,85
SI.007	11.1mm mast plug for above		2,85
Carbon Fins etc			
CF.001	One metre straight taper carbon fin, 'Nomex' core. (very stiff) 90 - 70mm by 470mm long		59,95
CR.002	One metre carbon rudder, 4mm shaft, curved L.E. & T.E.		24,95
CR.003	IOM 6% rudder for ISIS as used by Trevor Binks World Champion		65,25
AC.026	Carbon pushrod for servo to tiller 6 x 300mm		3,85
Ballasts			
		<i>Slim skiff style design</i>	
BA.001	IOM lead ballast by K. Bits with slot from precision Alu mold		35,00
BA.002	IOM Lead ballast by Sailsetc with slot and brass rod centre		45,00
Fittings			
BF.001	Deluxe r/c Tub, light with easy 1/4turn action on lid		1,20
31	Rigging screws , 3mm single end, for IOM shrouds		2,85
31b	3mm Nyloc nut for rigging screws etc (10)		2,15
37a	Eye bolt - 3mm	3mm x 20mm	1,35
37b	Eye bolt - 3mm Flat sided	3mm x 20mm	1,35
34	Eye bolt - 3.5mm	3.5 x 25mm	1,35
38a	Eyebolt - 3.5mm x 6mm		1,25
70-016	Crimps, brass medium	1.6 int dia	4,00
70-012	Crimps, brass small	1.2 int dia	3,50
AC.015	Heat shrink 1.5mm x 300mm Ideal for small joints and crimps		0,85
BF.006	Elastic , single core 0.97- 1mm (winch return)		0,90
BF.006a	Elastic , single core 2mm (winch return)		1,00
52a	Ferrule , PTFE plastic for mast post and main sheet		1,20
53	PTFE ring , fairlead for adjustable sheeting position		1,20
BF.008a	Alu mainsheet post (not adjustable)		1,50
BF.009	Sail flow grip, 10mm- 3/8"		1,20
86	Silicon drain bung for hull		0,45
BF.011	Heavy Duty double tiller arm in glass filled nylon for 4mm stock		3,45
BF.012a	Grommets, 1/4" pkt 10		1,50
BF.012b	Grommets, 5/16" pkt 10		1,65
BF.012c	Grommets, 3/8" pkt 10		1,85
65	Through deck, ball raced pulley block PKB		N/A
65b	Silicon cover for thro' deck pulley		5,25
63td	Single pulley block	deck mounted	11,00
63h	Hales single deck pulley	deck mounted	21,00
64	Double pulley block	deck mounted	9,25
61b	Single pulley block	with shackle	7,75
61td	TD single pulley block with shackle		12,00
61h	Hales single pulley block		17,00
87b	SS hooks		3,70
87z	Sheet hook laser cut		1,10
87g	Hook laser cut		1,00
60c	Sheet guide 15mm offset		8,90
57a	Bowies Sailsetc design	2sizes/pack 10	2,40
57b	Bowies Sailsetc design	Lge 15 x 4mm 10 pkt	2,00
57c	Bowies Sailsetc design	med 12 x 3mm 10 pkt	2,70
BF.018	Crane IOM	30/50mm long	3,10
22h	Crane adjustable		3,10
23-110	Head fitting	11.1mm	1,30
23-127	Head fitting	12.7mm	1,30
85	Topping lift ring		1,45
87j	Clip hook 24 x 7mm		1,95
87k	Clip hook 20 x 6mm		2,25
15	Gooseneck/kicker round mast	11.1/12.7mm	16,50

11c	Gooseneck/kicker Ball raced	11.1/12.7mm	43,50
21,075	Spreader kit, Low drag aero foiled section ' New '		5,90
BF.024	'O' rings	6mm	1,55
BF.025	'O' rings	10mm	1,40
BF.026	Threaded rod for normal duty ball links	2 x 180mm	0,31
BF.027	Jib weight 15-35 grams		5,00
101c	10mm l/t boom end fitting for jib weight		1,90
BF.029	Aerial tube , pot to deck	500mm	1,00
BF.030	Fin attachment 4mm SS screw and brass insert for		6,50
144t	Mast Ram 144t		8,80
67c	Servo quick release system		8,25
88-005	5mm plastic ball pkt 10		1,50
88-008	8mm plastic ball pkt 10		1,50
Alloy Masts			
AL.001	Round Anodized (3/8" boom) x 1m	9.5mm	8,50
AL.002	Round Anodized	11mm x 2m	16,25
AL.003	Round Anodized	12.8mm x 2m	17,75
AL.004	Groovy mast anodized	11.1mm x 2m	19,50
AL.005	Groovy mast anodized	12.7mm x 2m	23,50
Boom Kits			
160-kit	Sailsetc main boom kit	355mm long	11,75
161-kit	Super light jib boom kit	410mm long	15,00
162-kit	Sailestc jib boom kit	410mm long	15,00
120-100	Ball Raced down haul for jib 120-100		12,00
24-110	Cunningham ring auto 11mm mast		3,00
101f	Sailsetc Ftg 101f to 'plug' end of main boom saves boat damage		1,00
46-100	Boom Band with pin		1,80
46b	SS ring for use with Jib downhaul		1,60
101d	Fwd Headsail Ftg Sailsetc section		1,50
101c	10mm l/t boom end fitting for jib weight		2,00
101g	Headsail aft boom Ftg 10mm		1,00
104f	Clew slide lt wt boom		2,20
104e	Sheet guide adj boom		1,75
104-100	Sheet guide/fairlead 10mm lt wt boom		2,60
104a	Clew slide 'Sailsetc section'		2,00
104b	Track Slide 'Sailsetc section'		1,40
104d	Sheet attachment Sailsetc main boom		2,50
104-se	Micro clew adjuster		10,50
120d	Jib swivel BB Sailsetc boom		13,25
52GL	Acetal Mainsheet post with Epoxy Glass trunking		14,00
52mt	Acetal Mainsheet post with metal trunking		10,00
Rigging			
RI.001	0.45mm 7 strand 23kg BS S/Steel		5,15
RI.002	0.60mm 7 strand 45kg BS S/Steel		6,45
D25	25kg Dacron cord		2,55
D40	40kg Dacron cord		2,95
D60	60kg Dacron cord		3,35
D09	9Kg treated Dyneema for Sail luff ties		2,00
D30	60lb Dyneema, braided (sheets etc)		2,80
D50	100lb Dyneema (standing/winch lines etc)		2,90
D75	150lb Dyneema		3,25
RI.005	Stainless steel hook wire		0,80
RI.006	Stainless steel 4mm rudder shaft		0,80
RI.007	Brass rudder tube 4mm		0,60
Wflat	Flat rigging 'wire'		7,50

Plans, Books etc

PL.001	Mallard IOM plan	6,95
PL.002	Swallow IOM plan	6,95
BK.001	Rules Companion 2009-12 condensed, laminated and pocket size <i>Ideal for quick protest assessment</i>	8,00
BK.002	Rules in Practice <i>Bryan Willis</i> superbly pictorial rules book 2009-12	14,50
BK.003	R/C Racing Sailboats by Chris Jackson	9,95
BK.004	Battery Book , all you need to know about batteries. 39 pages	N/A
IS.001	Winch guidelines Futaba 5801	N/A
IS.002	Winch guidelines Hitec 725 BB	0,50
IS.003	Swallow 'update sheet	0,50

Post & packing costs

Large parcels and lead ballasts

These are sent by Carrier 24hr service

POA

Radio Control Equipment >2Kg

These are sent using RM Special delivery service
giving next day, insured delivery.

19,95

R/C Equipment <2kg, Winches, Servos

These are sent using the Post Office 'special delivery' service
giving next day, insured delivery.

10,50

Batteries

Normally sent first class post

2,95

Accessories & Plans

Small accessories and fittings are normally sent by
first class post

2,75

Masts

Up to 2000mm long and 4 masts

POA

Books

Rule books. Sailing books etc

4,75

High value items can be sent first class at your own risk

Payment methods

Cheque	Please send a crossed cheque or postal order, made payable to: K. Bits. with your order.
C/ Cards	Payment can be made by Visa/MasterCard/Switch at no additional cost.
Bank Transfer	Details on application
Pay Pal	Plus 4%

Visiting K. Bits..?

Please note that **K. Bits.** is mail order only, without retail premises (shop), goods are not on display. **Business hours are 9-6pm Tuesday-Thursday** for orders by telephone or fax. Email anytime on kenbinks@kbits.co.uk

*In **exceptional** circumstances orders may be picked up by **prior arrangement**.*

K Bits Radio Sailing
20, Queens Road,
Eastbourne
BN23 6JT

Being a small business means we are often unavailable, busy taking orders, packing or manufacturing components.

*Please leave a telephone order or message and we **WILL** get back to you.*

NOTE: *Rates apply to United Kingdom only (excluding N. Ireland, IOM, IOW)
Telephone for details for other Locations*

K Bits..VAT Reg No is: 823 6805 26